PHONE NO.

FILE NO.

P. O. Box 6247 St. Paul, MN 55055

November 30, 1987

Mr. G. V. Welk, Manager Regulatory Compliance and Services Northern States Power Company 414 Nicollett Mall Minneapolis, MN 55401

Dear Mr. Welk:

PERMIT 80-5081, PRAIRIE ISLAND NUCLEAR GENERATING PLANT, GOODHUE CO.

Special Provision #12 of the above referenced permit to monitor the ice cover of Lake Pepin is no longer required. Analysis of the data collected over the five year period does not indicate continued monitoring of the ice cover of Lake Pepin will necessarily identify the impact of the thermal discharge into Lake Pepin even during extreme periods of low flow or occurrence of high flow. Should uncharacteristic areas of open water or ice thinness develop and become prevelent, modeling may be required to determine if thermal discharge from Prairie Island is the cause.

We appreciate your compliance with this provision and cooperation with this Department. If you have any questions, please contact Area Hydrologist, Jim Haertel at (507) 285-7430.

Sincerely,

Ronald D. Harnack

Administrator

Permit and Land Use Section

cc: Lee Eberly, NSP

Larry Gates, Fisheries, Lake City

Goodhue County Sheriff

Waters, Rochester

Greg Turner, C. O.

U. S. Army Corps of Engineers

U. S. Fish and Wildlife Service

MPCA, St. Paul

tile Copy

## Office Memorandum

DATE: November 23, 1987

TO: Ronald D. Harnack, Administrator Permits and Land Use Section

FROM

James F. Cooper Regional Hydrologist Jim Haertel, Area Hydrologist

PHONE: 285-7430

SUBJECT: PERMIT 80-5081, PRAIRIE ISLAND NUCLEAR GENERATING PLANT

Special Provision #12 of the above referenced permit requires NSP to monitor the ice cover of Lake Pepin for 5 years. In October of 1986, after 5 years of monitoring, NSP requested to discontinue the ice cover monitoring. We required NSP to analyze the data and requested a consultant be contacted. Dr. H. G. Stefan of the St. Anthony Falls Hydraulic Lab analyzed the data and prepared a report titled "Residual Heat Input From the Mississippi River to Lake Pepin During the Winters of 1981/82 to 1985/86". Dr. Stefan's conclusions were, in essence, that no statistically significant impacts on ice cover resulted from the thermal discharge of the plant.

Dr. Stefan did indicate that it is still unknown what impact the heated flow discharged into Lake Pepin would have during periods of extreme low flow or for flows higher than those monitored during the last five years. Continued monitoring would not necessarily result in meaningful data being collected for extreme flow events in the near future since it is unknown when such events will occur. If uncharacteristic ice conditions become prevalent which adversely affect the resource, modeling may be the best way to determine if the adverse conditions are caused by thermal discharge.

We met with Dr. Stefan, officials from NSP and DNR Fisheries staff. Dr. Stefan explained his report in detail. DNR Fisheries had no negative comments. Our analysis of the data in this office does not support continuance of the monitoring program. Based on the above, we recommend that Special Provision #12 not be required any longer.

JC:JH:jp

Larry Gates, Fisheries - Lake City Waters, Rochester
U. S. Army Corps of Engineers
U. S. Fish & Wildlife Service
Greg Turner C. O.
MPCA, St. Paul
Goodhue County Sheriff

File Copy

Ken



## **Northern States Power Company**

414 Nicollet Mall Minneapolis, Minnesota 55401-1927 Telephone (612) 330-5500

November 23, 1994

Jim Dollahan Pierce County Sheriff's Dept. P. O. Box 477 Ellsworth, Wisconsin 54011

Dear Jim:

We have finally come to the end of our quest to give ownership of the "Thin Ice" signs to Goodhue and Pierce Counties. NSP has altered the face of the signs the way you and Scott Powers suggested. The signs were delivered to each county per information that I received from each county. What I need now is a letter from you, Jim, stating Pierce County has taken possession of a portion of the "Thin Ice" signs, and Pierce County will take responsibility for putting up and taking down those signs. You may send the letter to the following address:

Linda K. Johnson-Ladd Northern States Power Company 414 Nicollet Mall, RSQ-8 Minneapolis, MN 55401

Thank you for bearing with us while we took care of this project. We appreciate your cooperation.

Sincerely,

Ken Mueller and Linda K. Johnson-Ladd

c: Gary Brown Mike Wadley Ed Watzl

File Copy PI Lab